INDEX TO AUTHORS

A

Abels, Julius C. See MOYER and ABELS, 331

Anderson, Ernest, Seigle, L. W., Krznarich, Paul W., Richards, Llewellyn, and Marteny, W. W. The isolation of pectic substances from wood. II, 165

Anderson, R. J., Reeves, R. E., and Crowder, J. A. The chemistry of the lipids of tubercle bacilli. LII. The composition of the acetone-soluble fat of *Bacillus lepræ*, 669

—, —, and **Stodola, F. H.** The chemistry of the lipids of tubercle bacilli. LI. Concerning the firmly bound lipids of the human tubercle bacillus, 649

Antaki, Albert. See KERR and ANTAKI, 531

Armstrong, W. D. See GRUNER, MCCONNELL, and ARMSTRONG, 771

Aylward, Francis X., and Holt, L. Emmett, Jr. The nature of the lipotropic agent in pancreas, 61

B

Balls, A. K., and Hoover, Sam R. The milk-clotting action of papain, 737

Barron, E. S. Guzman. The basic dissociation constant of α-picoline, 313

—. Studies on biological oxidations. IX. The oxidation-reduction potentials of blood hemin and its hemochromogens, 285

—. See LYMAN and BARRON, 275

Bashour, Joseph T., and Bauman, Louis. The solubility of cholesterol in bile salt solutions, 1

Bauman, Louis. See BASHOUR and BAUMAN, 1

Baumann, Emil J., and Metzger, Nannette. On the amount of iodine in blood, 231

Bliss, Sidney. The cause of sore mouth in nephritis, 425

Block, Richard J. Chemical studies on the neuroproteins. III. An indication for sex differences in the amino acid composition of primate brain proteins, 411

—. IV. On the nature of the proteins of the ectoderm: eukeratins and pseudokeratins, 761

— and **Horwitt, M. K.** The basic amino acids of keratins. A note on the basic amino acid content of porcupine quills and echidna spines, 99

Bollman, Jesse L. See FLOCK, BOLLMAN, HESTER, and MANN, 117

Bonner, James. See ENGLISH and BONNER, 791

Boyd, Eldon M. Hypertrophy and lipid composition of frog tissues, 783

—. The storage of lipid extracts, 485

Brown, R. W. See OSBURN, BROWN, and WERKMAN, 685

Burk, Norval F. Osmotic pressure, molecular weight, and stability of serum globulin, 373

C

Cape, Jane, and **Sevringhaus, Elmer L.** The rate of change of alkali reserve after ingestion of salts of organic compounds. II. Rate of change of alkali reserve after ingestion of sodium citrate and sodium bicarbonate, 549

Chamberlin, P. E., Furgason, W. H., and **Hall, V. E.** Ketone body excretion in the cat: sex difference, and influence of diet, fasting, castration, and male hormone administration, 599

Chargaff, Erwin. Studies on the chemistry of blood coagulation. IV. Lipid inhibitors of blood clotting occurring in mammalian tissue, 175

—. V. Synthetic cerebroside sulfuric acids and their action in blood clotting, 187

Colowick, Sidney P. See CORI, COLOWICK, and CORI, 465

Conway, William J. The synthesis of *p*-bromophenylmercapturic acid in the fasting rabbit, 27

Cori, Carl F., Colowick, Sidney P., and **Cori, Gerty T.** The isolation and synthesis of glucose-1-phosphoric acid, 465

Cori, Gerty T. See CORI, COLOWICK, and CORI, 465

Crowder, J. A. See ANDERSON, REEVES, and CROWDER, 669

D

Daft, Floyd Shelton, Robscheit-Robbins, Frieda S., and **Whipple, G. H.** Abscess nitrogen metabolism in anemic and non-anemic dog. Reserve stores of protein apparently involved, 45

Darrow, Daniel C. See HARRISON and DARROW, 631

Dounce, Alexander L. See SUMNER and DOUNCE, 417

DuBois, Delafield. See STERN and DUBOIS, 573

Dubos, René, and **Miller, Benjamin F.** The production of bacterial enzymes capable of decomposing creatinine, 429

—. See MILLER and DUBOS, 447, 457

Dunn, Max S., and **Stoddard, M. Palmer.** Crystalline anhydrous and monohydrated *dl*-glutamic acid, 521

E

Eckstein, H. C. See TUCKER and ECKSTEIN, 479

Elvehjem, C. A. See FROST and ELVEHJEM, 255

English, James, Jr., and Bonner, James. The wound hormones of plants. I. Traumatin, the active principle of the bean test, 791

F

Farr, Lee E. See PAGE, FARR, and WEECH, 111

Flexner, Louis B. A thermodynamic analysis of ultrafiltration. The ultrafiltration of sucrose and colloidal solutions, 615

Flock, Eunice, Bollman, Jesse L., Hester, Harold R., and Mann, Frank C. Fatty livers in the goose produced by overfeeding, 117

Flosdorf, Earl W., and Webster, G. W. The determination of residual moisture in dry biological substances, 353

Frost, D. V., and Elvehjem, C. A. Further studies on factor W, 255

Furgason, W. H. See CHAMBERLIN, FURGASON, and HALL, 599

G

Gaebler, Oliver Henry, and Price, W. H. Effects of an anterior pituitary growth preparation on protein metabolism, 497

Goebel, Walther F. See HOTCHKISS and GOEBEL, 195

Graff, Ada M. See GRAFF and GRAFF, 79

—. See GRAFF, MACULLA, and GRAFF, 71, 81

Graff, Samuel, and Graff, Ada M. The composition of the tissue proteins. III. Arginine in the placenta, 79

—, **Maculla, Esther, and Graff, Ada M.** The composition of the tissue proteins. II. The estimation of arginine, 71

—, —, and —. IV. The estimation of cystine, 81

Grattan, Jerome F. See THANNHAUSER, REICHEL, and GRATTAN, 697

—. See THANNHAUSER, REICHEL, GRATTAN, and MADDOCK, 709, 715, 721, 727

Greenstein, Jesse P. Studies of multivalent amino acids and peptides. IX. The synthesis of *l*-cystinyl-*l*-cystine, 9

Gruner, J. W., McConnell, Duncan, and Armstrong, W. D. The relationship between crystal structure and chemical composition of enamel and dentin, 771

H

Hall, V. E. See CHAMBERLIN, FURGASON, and HALL, 599

Harrison, Harold E., and Darrow, Daniel C. A volumetric method for determination of potassium in biological materials, 631

Hess, W. C., and Sullivan, M. X. Further studies on the effect of aldehydes on cystine and cysteine, 323

Hester, Harold R. See FLOCK, BOLLMAN, HESTER, and MANN, 117

Holt, L. Emmett, Jr. See AYLWARD and HOLT, 61

Hoover, Sam R. See BALLS and HOOVER, 737
Horwitt, M. K. See BLOCK and HORWITT, 99
Hotchkiss, Rollin D., and Goebel, Walther F. Chemo-immunological studies on the soluble specific substance of pneumococcus. III. The structure of the aldobionic acid from the type III polysaccharide, 195
Hudson, C. S. See ROE and HUDSON, 37
Hughes, James. See SAIFER and HUGHES, 801

K

Kemmerer, Kenneth S. See WOMACK, KEMMERER, and ROSE, 403
Kerr, Stanley E., and Antaki, Albert. On the nature of the organic phosphorus of blood hydrolyzed by the phosphatases of bone, kidney, and blood, 531
Kertesz, Z. I. Pectic enzymes. I. The determination of pectin-methoxylase activity, 589
Kreider, Leonard C. See LEVENE and KREIDER, 155
Krznarich, Paul W. See ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY, 165
Kuna, Martin. See LEVENE, ROTHEN, and KUNA, 747

L

Levene, P. A., and Kreider, Leonard C. Conversion of uronic acids into corresponding hexoses. I. Conversion of 2,3,4-trimethyl-α-methyl-*d*-galacturonide methyl ester into 2,3,4-trimethyl-α-methyl-*d*-galactoside, 155
Levene, P. A., Rothen, Alexandre, and Kuna, Martin. The mechanism of the reaction of substitution and Walden inversion. II, 747
— and **Tipson, R. Stuart.** Phosphorylation of monoacetone adenosine and of diacetyl adenosine, 131
Lichtenberg, Henry H. See SCHWARZ and LICHTENBERG, 315
Loring, Hubert S. Accuracy in the measurement of the activity of tobacco mosaic virus protein, 637
— and **Wyckoff, Ralph W. G.** The ultracentrifugal isolation of latent mosaic virus protein, 225
Lyman, Carl M., and Barron, E. S. Guzman. Studies on biological oxidations. VIII. The oxidation of glutathione with copper and hemochromogens as catalysts, 275

M

Maculla, Esther. See GRAFF, MACULLA, and GRAFF, 71, 81
Maddock, Stephen J. See THANNHAUSER, REICHEL, GRATTAN, and MADDOCK, 709, 715, 721, 727

Mann, Frank C. See FLOCK, BOLLMAN, HESTER, and MANN, 117

Marteny, W. W. See ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY, 165

McConnell, Duncan. See GRUNER, MCCONNELL, and ARMSTRONG, 771

Metzger, Nannette. See BAUMANN and METZGER, 231

Miller, Benjamin F., and Dubos, René. Determination by a specific, enzymatic method of the creatinine content of blood and urine from normal and nephritic individuals, 457

— and —. Studies on the presence of creatinine in human blood, 447

—. See DUBOS and MILLER, 429

Moyer, Laurence S., and Abels, Julius C. Electrokinetic aspects of surface chemistry. II. Electrokinetic theory in the calculation of the charge of proteins, 331

O

Osburn, O. L., Brown, R. W., and Werkman, C. H. The butyl alcohol-isopropyl alcohol fermentation, 685

P

Page, Irvine H., Farr, Lee E., and Weech, A. A. The effect of prolonged low protein diet on the serum lipids of dogs, 111

Peterson, W. H. See WOOLLEY and PETERSON, 507

Present, Clara H. See RUBIN, PRESENT, and RALLI, 19

Presnell, A. K. The relation of vitamin D to skin respiration, 5

Price, W. H. See GAEBLER and PRICE, 497

R

Ralli, Elaine P. See RUBIN, PRESENT, and RALLI, 19

Reeves, R. E. See ANDERSON, REEVES, and CROWDER, 669

—. See ANDERSON, REEVES, and STODOLA, 649

Reichel, Max. See THANNHAUSER, REICHEL, and GRATTAN, 697

—. See THANNHAUSER, REICHEL, GRATTAN, and MADDOCK, 709, 715, 721, 727

Richards, Llewellyn. See ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY, 165

Riemenschneider, R. W. See SPADOLA and RIEMENSCHNEIDER, 787

Rittenberg, D., and Schoenheimer, Rudolf. Deuterium as an indicator in the study of intermediary metabolism. XI. Further studies on the biological uptake of deuterium into organic substances, with special reference to fat and cholesterol formation, 235

Robscheit-Robbins, Frieda S. See DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE, 45

Roe, Joseph H., and **Hudson, C. S.** Further studies of the physiological availability of heptoses, 37

Rose, William C. See WOMACK, KEMMERER, and ROSE, 403

Rothen, Alexandre. See LEVENE, ROTHEN, and KUNA, 747

Rubin, Saul H., Present, Clara H., and **Ralli, Elaine P.** The liver lipids in normal dogs on different types of fat, with and without added lecithin, 19

S

Saifer, Abraham, and **Hughes, James.** Dioxane as a reagent for qualitative and quantitative determination of small amounts of iodide. Its application to the detection of iodide in iodized salt. A correction, 801

Schoenheimer, Rudolf. See RITTENBERG and SCHOENHEIMER, 235

Schubert, Maxwell P. Reactions of semimercaptals with amino compounds, 539

Schwarz, Herman, and **Lichtenberg, Henry H.** Relationship of the blood cholesterol to the hemoglobin and serum protein, 315

Seigle, L. W. See ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY, 165

Sevringhaus, Elmer L. See CAPE and SEVRINGHAUS, 549

Sinclair, Robert Gordon, and **Smith, Clair.** The turnover of phospholipids in the intestinal mucosa, 361

Smith, Arthur H. See WINNEK and SMITH, 345

Smith, Clair. See SINCLAIR and SMITH, 361

Smith, Elizabeth R. B. See SMITH and SMITH, 607

Smith, Paul K., and **Smith, Elizabeth R. B.** Thermodynamic properties of solutions of amino acids and related substances. II. The activity of aliphatic amino acids in aqueous solution at twenty-five degrees, 607

Spadola, John M., and **Riemenschneider, R. W.** The position of the unsaturated linkage in the hexadecenoic acids of certain natural fats, 787

Sperry, Warren M., and **Stoyanoff, V. A.** The influence of bile salts on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum, 101

Stanley, W. M. Chemical studies on the virus of tobacco mosaic. X. The activity and yield of virus protein from plants diseased for different periods of time, 205

Stekol, Jakob A. Studies on the mercapturic acid synthesis in animals. V. The effect of naphthalene on the growth of rats as related to diets of varying sulfur content, 87

—. VI. The dependence of the extent of the synthesis of *p*-bromophenylmercapturic acid in dogs on the body weight, 93

Stern, Kurt G. On the absorption spectrum of catalase, 561

Stern, Kurt G., and **DuBois, Delafield.** A spectroscopic method for the kinetic study of rapid chemical reactions, 573
Stoddard, M. Palmer. See DUNN and STODDARD, 521
Stodola, F. H. See ANDERSON, REEVES, and STODOLA, 649
Stoyanoff, V. A. See SPERRY and STOYANOFF, 101
Sullivan, M. X. See HESS and SULLIVAN, 323
Sumner, James B., and **Dounce, Alexander L.** Crystalline catalase, 417

T

Thannhauser, S. J., Reichel, Max, and **Grattan, Jerome F.** Studies on serum phosphatase activity. I. Ascorbic acid activation on serum phosphatase, 697
—, —, —, and **Maddock, Stephen J.** Studies on serum phosphatase activity. II. The effect of experimental total biliary obstruction on the serum phosphatase activation in dogs and cats, 709
—, —, —, and —. III. The effect of complete biliary fistula on phosphatase activity in serum and bile, 715
—, —, —, and —. IV. The deactivating effect of thiol compounds and bile acids on serum phosphatase activity *in vitro* and *in vivo*, 721
—, —, —, and —. V. Studies concerning increased serum phosphatase values in disease, 727
Tipson, R. Stuart. See LEVENE and TIPSON, 131
Torrance, Calvin C. The effect of diphtheria toxin upon vitamin C *in vitro*, 31
Tucker, Helen F., and **Eckstein, H. C.** The effect of supplementary methionine and cystine on the production of fatty livers by diet, 479

W

Webster, G. W. See FLOSDORF and WEBSTER, 353
Weech, A. A. See PAGE, FARR, and WEECH, 111
Werkman, C. H. See OSBURN, BROWN, and WERKMAN, 685
Whipple, G. H. See DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE, 45
Winnek, Philip S., and **Smith, Arthur H.** Studies on the rôle of bromine in nutrition, 345
Womack, Madelyn, Kemmerer, Kenneth S., and **Rose, William C.** The relation of cystine and methionine to growth, 403
Woolley, D. W., and **Peterson, W. H.** The chemistry of mold tissue. XIII. Isolation of some monoaminomonocarboxy and some monoaminodicarboxy acids from *Aspergillus sydowi*, 507
Wyckoff, Ralph W. G. Molecular sedimentation constants of tobacco mosaic virus proteins extracted from plants at intervals after inoculation, 219
—. See LORING and WYCKOFF, 225

INDEX TO SUBJECTS

A

Abscess: Nitrogen, metabolism, anemic and non-anemic dogs, protein relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 45

Adenosine: Diacetyl, phosphorylation (LEVENE and TIPSON) 131

Monoacetone, phosphorylation (LEVENE and TIPSON) 131

Aldehydes: Cysteine, effect (HESS and SULLIVAN) 323

Cystine, effect (HESS and SULLIVAN) 323

Aldobionic acid: Pneumococcus Type III polysaccharide, structure (HOTCHKISS and GOEBEL) 195

Alkaline reserve: Sodium citrate and sodium bicarbonate ingestion effect (CAPE and SEVRINGHAUS) 549

Amino acid(s): Aliphatic, activity, aqueous solution (SMITH and SMITH) 607

Basic, keratins (BLOCK and HORWITT) 99

—, porcupine quills and echidna spines (BLOCK and HORWITT) 99

Brain proteins, primate, sex differences (BLOCK) 411

Multivalent (GREENSTEIN) 9

Amino acid(s)—*continued:*

-Related substances, solutions, thermodynamic properties (SMITH and SMITH) 607

Solutions, thermodynamic properties (SMITH and SMITH) 607

Amino compounds: Semimercaptals, reactions (SCHUBERT) 539

Anemia: Abscess nitrogen metabolism, protein relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 45

Arginine: Placenta (GRAFF and GRAFF) 79

Tissue, determination (GRAFF, MACULLA, and GRAFF) 71

Ascorbic acid: Blood serum phosphatase activation (THANNHAUSER, REICHEL, and GRATTAN) 697

Aspergillus sydowi: Monoaminomonocarboxy and monoaminodicarboxy acids, isolation (WOOLLEY and PETERSON) 507

B

Bacillus lepræ: *See* Leprosy bacillus

Bile: Fistula, bile phosphatase activation, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 715

—, blood serum phosphatase

Bile—*continued:*
activation, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 715
Obstruction, blood serum phosphatase activation, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 709
Bile acids: Blood serum phosphatase activity, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 721
Bile salts: Blood serum cholesterol esters, enzymatic synthesis and hydrolysis, influence (SPERRY and STOYANOFF) 101
Solutions, cholesterol solubility (BASHOUR and BAUMAN) 1
Biological substances: Dry, residual moisture determination (FLOSDORF and WEBSTER) 353
Blood: Clotting, cerebroside sulfuric acids, synthetic, effect (CHARGAFF) 187
—, lipid inhibitors (CHARGAFF) 175
Coagulation, chemistry (CHARGAFF) 175, 187
Blood serum: Lipids, protein-low diet, effect (PAGE, FARR, and WEECH) 111
Bone: Phosphatase, blood organic phosphorus hydrolyzed by, nature (KERR and ANTAKI) 531
Brain: Proteins, amino acids, sex differences, primate (BLOCK) 411
Bromine: Nutrition, rôle (WINNEK and SMITH) 345
Bromophenylmercapturic acid: *p*-, synthesis, body weight relation (STEKOL) 93
—, —, fasting rabbit (CONWAY) 27
Butyl alcohol: -Isopropyl alcohol fermentation (OSBURN, BROWN, and WERKMAN) 685

C

Carboxy acids: Monoamino-mono- and monoaminodi-, *Aspergillus sydowi*, isolation (WOOLLEY and PETERSON) 507
Castration: Ketone body excretion, effect (CHAMBERLIN, FURGASON, and HALL) 599
Catalase: Absorption spectrum (STERN) 561
Crystalline (SUMNER and DOUNCE) 417
Cerebroside sulfuric acids: Synthetic, blood clotting, effect (CHARGAFF) 187
Cholesterol: Blood, hemoglobin and serum protein, relation (SCHWARZ and LICHTENBERG) 315
Esters, blood serum, enzyme synthesis and hydrolysis, bile salt influence (SPERRY and STOYANOFF) 101
Formation, deuterium uptake, relation (RITTENBERG and SCHOENHEIMER) 235
Solubility, bile salt solutions (BASHOUR and BAUMAN) 1

Clotting: Blood, cerebroside sulfuric acids, synthetic, effect (CHARGAFF) 187
—, lipid inhibitors (CHARGAFF) 175
Milk, papain (BALLS and HOOVER) 737
Colloidal solutions: Ultrafiltration (FLEXNER) 615
Copper: Catalyst, glutathione oxidation (LYMAN and BARRON) 275
Creatinine: Blood, normal and nephritic, enzymatic determination (MILLER and DUBOS) 457
—, presence (MILLER and DUBOS) 447
-Decomposing enzymes, bacterial, production (DUBOS and MILLER) 429
Urine, normal and nephritic, enzymatic determination (MILLER and DUBOS) 457
Cysteine: Aldehyde effect (HESS and SULLIVAN) 323
Cystine: Aldehyde effect (HESS and SULLIVAN) 323
l-Cystinyl-*l*-, synthesis (GREENSTEIN) 9
Growth, relation (WOMACK, KEMMERER, and ROSE) 403
Liver fat, effect (TUCKER and ECKSTEIN) 479
Tissue, determination (GRAFF, MACULLA, and GRAFF) 81
***l*-Cystinyl-*l*-cystine:** Synthesis (GREENSTEIN) 9

D

Dentin: Crystal structure and composition, relation (GRUNER, MCCONNELL, and ARMSTRONG) 771
Deuterium: Metabolism, intermediary, indicator (RITTENBERG and SCHOENHEIMER) 235
Uptake, fat and cholesterol formation, relation (RITTENBERG and SCHOENHEIMER) 235
Diacetyl adenosine: Phosphorylation (LEVENE and TIPSON) 131
Diet: Factor W (FROST and ELVEHJEM) 255
Ketone body excretion, effect (CHAMBERLIN, FURGASON, and HALL) 599
Dioxane: Iodide microdetermination, use (SAIFER and HUGHES) 801
Diphtheria: Toxin, vitamin C, effect (TORRANCE) 31

E

Echidna: Spines, amino acids, basic (BLOCK and HORWITT) 99
Ectoderm: Eukeratins (BLOCK) 761
Pseudokeratins (BLOCK) 761
Electrokinetics: Protein charge, calculation (MOYER and ABELS) 331
Enamel: Crystal structure and composition, relation (GRUNER, MCCONNELL, and ARMSTRONG) 771

Enzyme(s): Bacterial, creatinine-decomposing, production (DUBOS and MILLER) 429
Blood serum cholesterol esters, synthesis and hydrolysis, bile salt influence (SPERRY and STOYANOFF) 101
Creatinine, blood and urine, normal and nephritic, determination (MILLER and DUBOS) 457
Pectic (KERTESZ) 589
See also Catalase, Methoxylase, Papain, Phosphatase

F

Fasting: *p*-Bromophenylmercapturic acid synthesis (CONWAY) 27
Ketone body excretion, effect (CHAMBERLIN, FURGASON, and HALL) 599
Fat(s): Acetone-soluble, *Bacillus lepræ* (ANDERSON, REEVES, and CROWDER) 669
Diet, liver lipids, effect (RUBIN, PRESENT, and RALLI) 19
Formation, deuterium uptake, relation (RITTENBERG and SCHOENHEIMER) 235
Liver, methionine and cystine effect (TUCKER and ECKSTEIN) 479
—, overfeeding effect (FLOCK, BOLLMAN, HESTER, and MANN) 117
Natural, hexadecenoic acids, unsaturated linkage, position (SPADOLA and RIEMENSCHNEIDER) 787

G

Galactoside: 2,3,4-Trimethyl-α-methyl-*d*-, 2,3,4-trimethyl-α-methyl-*d*-galacturonide methyl ester conversion (LEVENE and KREIDER) 155
Galacturonide: Methyl ester, 2,3,4-trimethyl-α-methyl-*d*-, conversion to 2,3,4-trimethyl-α-methyl-*d*-galactoside (LEVENE and KREIDER) 155
Globulin: Blood serum, osmotic pressure, molecular weight, and stability (BURK) 373
Glucose-l-phosphoric acid: Isolation and synthesis (CORI, COLOWICK, and CORI) 465
Glutamic acid: *dl*-, crystalline, anhydrous and monohydrated (DUNN and STODDARD) 521
Glutathione: Oxidation, copper and hemochromogens as catalysts (LYMAN and BARRON) 275
Growth: Cystine relation (WOMACK, KEMMERER, and ROSE) 403
Methionine relation (WOMACK, KEMMERER, and ROSE) 403
Naphthalene in diet, effect (STEKOL) 87
Preparation, anterior pituitary, protein metabolism, effect (GAEBLER and PRICE) 497

H

Hemin: Blood, oxidation-reduction potentials (BARRON) 285

Hemochromogen(s): Blood, oxidation-reduction potentials (BARRON) 285
Catalyst, glutathione oxidation (LYMAN and BARRON) 275
Hemoglobin: Blood cholesterol relation (SCHWARZ and LICHTENBERG) 315
Heptoses: Physiological availability (ROE and HUDSON) 37
Hexadecenoic acids: Natural fats, unsaturated linkage, position (SPADOLA and RIEMENSCHNEIDER) 787
Hexoses: Uronic acid conversion (LEVENE and KREIDER) 155
Hormones: Plant, wound (ENGLISH and BONNER) 791
Hypertrophy: Tissue, frog, lipids, relation (BOYD) 783

I

Intestine: Mucosa, phospholipid turnover (SINCLAIR and SMITH) 361
Iodide: Microdetermination, dioxane use (SAIFER and HUGHES) 801
Iodine: Blood, amount (BAUMANN and METZGER) 231
Isopropyl alcohol: Butyl alcohol-, fermentation (OSBURN, BROWN, and WERKMAN) 685

K

Keratin(s): Amino acids, basic (BLOCK and HORWITT) 99
Eu-, ectoderm (BLOCK) 761
Pseudo-, ectoderm (BLOCK) 761
Ketone body: Excretion, factors influencing (CHAMBERLIN, FURGASON, and HALL) 599
Kidney: Phosphatase, blood organic phosphorus hydrolyzed by, nature (KERR and ANTAKI) 531
Kinetics: Chemical reactions, rapid, spectroscopic method for study (STERN and DUBOIS) 573

L

Lecithin: Liver lipids, effect (RUBIN, PRESENT, and RALLI) 19
Leprosy bacillus: Fat, acetone-soluble (ANDERSON, REEVES, and CROWDER) 669
Lipid(s): Blood clotting, effect (CHARGAFF) 175
— serum, protein-low diet, effect (PAGE, FARR, and WEECH) 111
Bound, tubercle bacillus, human (ANDERSON, REEVES, and STODOLA) 649
Extracts, storage effect (BOYD) 485
Liver, fat diet, effect (RUBIN, PRESENT, and RALLI) 19
Tissue, frog, hypertrophy relation (BOYD) 783
Tubercle bacillus, chemistry (ANDERSON, REEVES, and STODOLA) 649
(ANDERSON, REEVES, and CROWDER) 669
Lipotropic agent: Pancreas (AYLWARD and HOLT) 61
Liver: Fat, overfeeding effect (FLOCK, BOLLMAN, HESTER, and MANN) 117

Liver—*continued:*
Fatty, methionine and cystine effect (TUCKER and ECKSTEIN) 479
Lipids, fat diet, effect (RUBIN, PRESENT, and RALLI) 19

M

Mercaptals: Semi-, amino compounds, reactions (SCHUBERT) 539
Mercapturic acid(s): *p*-Bromo-, synthesis, body weight relation (STEKOL) 93
p-Bromophenyl-, synthesis, fasting rabbit (CONWAY) 27
Synthesis, animals (STEKOL) 87, 93
Metabolism: Intermediary, deuterium as indicator (RITTENBERG and SCHOENHEIMER) 235
Methionine: Growth, relation (WOMACK, KEMMERER, and ROSE) 403
Liver fat, effect (TUCKER and ECKSTEIN) 479
Methoxylase: Pectin-, activity, determination (KERTESZ) 589
Milk: -Clotting action, papain (BALLS and HOOVER) 737
Moisture: Residual, dry biological substances, determination (FLOSDORF and WEBSTER) 353
Mold: Tissue, chemistry (WOOLLEY and PETERSON) 507
Monoacetone adenosine: Phosphorylation (LEVENE and TIPSON) 131
Monoaminodicarboxy acids: *Aspergillus sydowi*, isolation (WOOLLEY and PETERSON) 507
Monoaminomonocarboxy acids: *Aspergillus sydowi*, isolation (WOOLLEY and PETERSON) 507
Mosaic: Tobacco, virus protein, activity and yield (STANLEY) 205
—, — proteins, molecular sedimentation constants (WYCKOFF) 219
Virus protein, latent, isolation (LORING and WYCKOFF) 225
— —, tobacco, activity, measurement (LORING) 637
Mouth: Sore, nephritis, cause (BLISS) 425

N

Naphthalene: Dietary, growth effect (STEKOL) 87
Nephritis: Blood creatinine, determination, enzymatic (MILLER and DUBOS) 457
Sore mouth in, cause (BLISS) 425
Urine creatinine, determination, enzymatic (MILLER and DUBOS) 457
Neuroproteins: Chemistry (BLOCK) 411, 761
Nitrogen: Abscess, metabolism, anemic and non-anemic dogs, protein relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 45

O

Oxidation-reduction: Potentials, blood hemin and hemochromogens (BARRON) 285
Oxidations: Biological (LYMAN and BARRON) 275
(BARRON) 285

P

Pancreas: Lipotropic agent (AYLWARD and HOLT) 61
Papain: Milk-clotting action (BALLS and HOOVER) 737
Pectic enzymes: (KERTESZ) 589
Pectic substances: Wood, isolation (ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY) 165
Pectin: -Methoxylase activity, determination (KERTESZ) 589
Peptides: Multivalent (GREENSTEIN) 9
Phosphatase: Bile, activation, bile fistula effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 715
Blood, blood organic phosphorus hydrolyzed by, nature (KERR and ANTAKI) 531
— serum, activation, ascorbic acid effect (THANNHAUSER, REICHEL, and GRATTAN) 697
— —, —, bile fistula effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 715
— —, —, biliary obstruction, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 709
Phosphatase—*continued:*
Blood serum, activity, disease effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 727
— —, —, thiol compounds and bile acids, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 721
Bone, blood organic phosphorus hydrolyzed by, nature (KERR and ANTAKI) 531
Kidney, blood organic phosphorus hydrolyzed by, nature (KERR and ANTAKI) 531
Phospholipids: Intestinal mucosa, turnover (SINCLAIR and SMITH) 361
Phosphoric acid: Glucose-1-, isolation and synthesis (CORI, COLOWICK, and CORI) 465
Phosphorus: Organic, blood hydrolyzed by phosphatases (KERR and ANTAKI) 531
Picoline: α-, dissociation constant, basic (BARRON) 313
Pituitary extract: Anterior, growth preparation, protein metabolism, effect (GAEBLER and PRICE) 497
Placenta: Arginine (GRAFF and GRAFF) 79
Plant: Hormones, wound (ENGLISH and BONNER) 791
Pneumococcus: Soluble specific substance, chemical and immunological studies (HOTCHKISS and GOEBEL) 195
Type III, polysaccharide, aldobionic acid structure (HOTCHKISS and GOEBEL) 195

Polysaccharide: Pneumococcus Type III, aldobionic acid structure (HOTCHKISS and GOEBEL) 195
Porcupine: Quills, amino acids, basic (BLOCK and HORWITT) 99
Potassium: Biological materials, determination, volumetric (HARRISON and DARROW) 631
Protein(s): Abscess nitrogen metabolism, anemic and non-anemic dogs, relation (DAFT, ROBSCHEIT-ROBBINS, and WHIPPLE) 45
Blood serum, blood cholesterol relation (SCHWARZ and LICHTENBERG) 315
Brain, amino acids, sex differences, primate (BLOCK) 411
Charge, calculation, electrokinetic theory (MOYER and ABELS) 331
Ectoderm, nature (BLOCK) 761
Low, diet, blood serum lipids, effect (PAGE, FARR, and WEECH) 111
Metabolism, anterior pituitary growth preparation, effect (GAEBLER and PRICE) 497
Mosaic virus, latent, isolation (LORING and WYCKOFF) 225
Neuro-, chemistry (BLOCK) 411, 761
Tissue, composition (GRAFF and GRAFF) 79
(GRAFF, MACULLA, and GRAFF) 71, 81
Protein(s)—*continued:*
Tobacco mosaic virus, activity and yield (STANLEY) 205
— — —, —, determination (LORING) 637
— — —, molecular sedimentation constants (WYCKOFF) 219
Pseudokeratins: Ectoderm (BLOCK) 761

S

Semimercaptals: Amino compounds, reactions (SCHUBERT) 539
Sex: Brain proteins, amino acids, primate, differences (BLOCK) 411
Difference, ketone body excretion (CHAMBERLIN, FURGASON, and HALL) 599
Hormone, male, ketone body excretion, administration effect (CHAMBERLIN, FURGASON, and HALL) 599
Skin: Respiration, vitamin D relation (PRESNELL) 5
Sodium bicarbonate: Alkaline reserve, ingestion effect (CAPE and SEVRINGHAUS) 549
Sodium citrate: Alkaline reserve, ingestion effect (CAPE and SEVRINGHAUS) 549
Substitution reaction: Walden inversion and, mechanism (LEVENE, ROTHEN, and KUNA) 747
Sucrose: Ultrafiltration (FLEXNER) 615
Sulfur: Naphthalene with, growth effect (STEKOL) 87
Sulfuric acids: Cerebroside, synthetic, blood clotting, effect (CHARGAFF) 187

T

Thiol compounds: Blood serum phosphatase activity, effect (THANNHAUSER, REICHEL, GRATTAN, and MADDOCK) 721

Tissue: Frog, hypertrophy, lipids, relation (BOYD) 783

Tobacco: Mosaic virus protein, activity and yield (STANLEY) 205

— — —, —, measurement (LORING) 637

— — —, molecular sedimentation constants (WYCKOFF) 219

Traumatin: Bean test, active principle (ENGLISH and BONNER) 791

2,3,4-Trimethyl-α-methyl-d-galactoside: 2,3,4-Trimethyl-α-methyl-d-galacturonide methyl ester conversion (LEVENE and KREIDER) 155

2,3,4-Trimethyl-α-methyl-d-galacturonide: Methyl ester, 2,3,4-trimethyl-α-methyl-d-galactoside, conversion (LEVENE and KREIDER) 155

Tubercle bacillus: Human, lipids, bound (ANDERSON, REEVES, and STODOLA) 649

U

Ultrafiltration: Thermodynamics (FLEXNER) 615

Uronic acids: Hexoses, conversion (LEVENE and KREIDER) 155

V

Virus: Mosaic, protein, latent, isolation (LORING and WYCKOFF) 225

Tobacco mosaic protein, activity and yield (STANLEY) 205

— — —, —, determination (LORING) 637

— — —, molecular sedimentation constants (WYCKOFF) 219

Vitamin: C, diphtheria toxin effect (TORRANCE) 31

D, skin respiration, relation (PRESNELL) 5

W

Walden inversion: Substitution reaction and, mechanism (LEVENE, ROTHEN, and KUNA) 747

Wood: Pectic substances, isolation (ANDERSON, SEIGLE, KRZNARICH, RICHARDS, and MARTENY) 165